VILLAGE OF MONTPELIER WATER PLANT DRINKING WATER CONSUMER CONFIDENCE REPORT FOR "2016"

To comply with the Safe Drinking Water Act amendments, the Village of Montpelier is annually issuing a report about monitoring performed on its drinking water. The purpose of this report is to provide information to you, the consumer, on the quality of your drinking water.

What's the source of your drinking water?

The Village of Montpelier's 2 MGD Water Treatment Plant at 333 Porter Road was commissioned on the first day of September 2005. Its water supply comes from four (4) wells that are between 190 – 200 feet deep. Three of the wells are 16" in diameter and the fourth is an 8". The well production rates are two at 750 gpm and two at 350 gpm. The treatment process consists of lime softening, carbon dioxide and poly-phosphate stabilization, filtration, and chlorine disinfection. Your treatment plant is operated by a Class III Water Supply Operator, William C. Blakely (Supt.), a Class II Water Supply Operator, Matthew J. Peters (Supv.), and a Class 1 Operator, Thane Apt.

The Ohio EPA has completed a study of the Village of Montpelier's source of drinking water, to identify potential contamination sources and provide guidance on protecting the drinking water source. According to this study, the aquifer (water rich zone) that supplies water to the Village of Montpelier has a low susceptibility to contamination based on; 1) presence of a thick layer of clay overlying the aquifer, 2) significant depth (over 90') of the aquifer, 3) no evidence to suggest that ground water has been impacted by any significant levels of chemical contaminations from human activities, and 4) no apparent potential contaminant sources in the protection area. This susceptibility means that under current existing conditions, the likelihood of the aquifer becoming contaminated is relatively low. This likelihood can be minimized by implementing appropriate protective measures. More information about the source water assessment or what customers can do to help protect the aquifer is available by calling 419-485-0936.

Protecting our drinking water source from contamination is the responsibility of all area residents. Please dispose of hazardous chemicals in the proper manner and report polluters to the proper authorities. Only by working together can we insure an adequate safe supply of water for future generations.

What are sources of contamination to drinking water?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material. It can also pick up substances resulting from the presence of animals and human activity.

Contaminants that may be present in source water include: (A) Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife; (B) Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oils and gas production, mining, or farming; (C) Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban water runoff, and residential uses; (D) Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems; (E) Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that the tap water is safe to drink, the USEPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations also establish limits for contaminants in bottled water, which must provide the same protection for public health.

The sources of drinking water (both tap water and bottled water) may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (1-800-426-4791)

Who needs to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as people undergoing chemotherapy for cancer, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorder, some elderly, and infants can be particularly at risk for infection. These people should seek advice about drinking water from their health care providers. The EPA and Center of Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

About your drinking water.

Montpelier's drinking water has been nationally recognized for its wonderful taste by winning the gold medal in the Berkeley Springs International Water Tasting Competition in 2003, 2006, 2007, and 2017. Our water has also placed in the top 5 on 6 different occasions and in the top 10 the other 5 years.

The EPA requires regular sampling to ensure drinking water safety. The Montpelier Water Treatment Plant conducted sampling for 13 different regulated contaminants in 2015. These samples were for total coliform and E-coli bacteria, Nitrate, 5 Haloacetic acids and 5 Trihalomethane compounds. The Ohio EPA requires us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though accurate, are more than one year old.

Listed below is information on those contaminants that were found in the Village of Montpelier's drinking water within the last 5 years.

and the second	194.6						
Contaminant	MCLG	MCL	Level	Range of	Violation	Sample	Typical Source of Contaminant
			Found	Detections		Year	
Fluoride, F	4	4	0.64	0.64	no	2016	Erosion of natural deposits.
0.0	mg/L	mg/L	mg/L	mg/L	0.0		- 0 0 0 · 5 · 6 · 6 ·
Barium, Total	2	2	0.026	0.026	no	2016	Erosion of natural deposits.
A CAC	mg/L	mg/L	mg/L	mg/L	1.40	0.0	
Nitrate, NO ₃	0	10	0.26	0.26	no	2016	Erosion of natural deposits;
	mg/L	mg/L	mg/L	mg/L	10		Runoff from fertilizer use.

Inorganic Contaminants

Lead and Copper

	Contaminant	MCLG	MCL	Reported	Range of	Violation	Sample	Typical Source of Contaminant
-			(AL)	Level	Detections		Year	
	Lead, Pb	0	15	<4.0	<4.0 - 9	no	2016	Corrosion or leaching of
	COM COM	-0-1	ug/L	ug/L	ug/L(20)	a Mie	X-1.	interior home plumbing
A.	Copper, Cu	0	1350	39	7.0 - 108	no	2016	Corrosion or leaching of
	00 0	A Drawn	ug/L	ug/L	ug/L (20)	000		interior home plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Village of Montpelier is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

MCLG	MCL	Level Found	Range of Detections	Violation	Sample Year	Typical Source of Contaminant
*	60	4.2	200	no	2016	By-product of drinking water
0	ug/L	ug/L	10 (a)		100	chlorination
*	*	2.9	D DE C	no	2016	By-product of drinking water
5.0.1	10	ug/L		(P)	1	chlorination (part of HAA ₅)
*	*	0.0	h-1	no	2016	By-product of drinking water
	-	ug/L	Constant of the		0.00	chlorination (part of HAA ₅)
*	*	1.3		no	2016	By-product of drinking water
4-7A	1.1	ug/L	SACA	1.50	are	chlorination (part of HAA ₅)
*	80	61.8	A second	no	2016	By-product of drinking water
2.0	ug/L	ug/L	2/120	-100-	10-	chlorination
*	*	19.3	8.0 -19.0	no	2016	By-product of drinking water
10.1	a Cartin	ug/L	ug/L	a Callad	A Car	chlorination (part of TTHM)
*	*	8.4	5.6 - 6.2	no	2016	By-product of drinking water
60	100	ug/L	ug/L	Sola.	206.00	chlorination (part of TTHM)
*	*	15.0	3.7 - 20.0	no	2016	By-product of drinking water
Ch	A a	ug/L	ug/L	200.	Call	chlorination (part of TTHM)
*	*	19.1	10.8 -	no	2016	By-product of drinking water
1	23	ug/L	19.6 ug/L	20 30	10-10-	chlorination (part of TTHM)
	* * * *	* 60 ug/L * * * * * * * * * 80 ug/L * * * *	Found * 60 4.2 ug/L ug/L * * 2.9 ug/L ug/L * * 0.0 ug/L ug/L * * 1.3 ug/L ug/L * * 1.3 ug/L ug/L * * 19.3 ug/L ug/L * * 8.4 ug/L * * * * 15.0 ug/L * *	Found Detections * 60 4.2 - ug/L ug/L - ug/L * * 2.9 - ug/L ug/L - ug/L * * 0.0 - ug/L ug/L - ug/L * * 0.0 - ug/L ug/L - ug/L * * 1.3 - ug/L ug/L - ug/L * 80 61.8 - ug/L ug/L ug/L - * * 19.3 8.0 -19.0 ug/L ug/L ug/L - * * 8.4 5.6 - 6.2 ug/L ug/L ug/L - * * 15.0 3.7 -20.0 ug/L ug/L ug/L -	Found Detections * 60 4.2 - no ug/L ug/L - no * * 2.9 - no * * 0.0 - no ug/L - no ug/L - * * 0.0 - no ug/L - no ug/L - * * 0.0 - no ug/L - - no - * * 1.3 - no ug/L ug/L - - - * * 19.3 8.0 -19.0 no ug/L ug/L ug/L - - * * 19.3 8.0 -19.0 no ug/L ug/L ug/L - - * * 8.4 5.6 - 6.2 no ug/L ug/L u	Found Detections Year * 60 4.2 - no 2016 ug/L ug/L - no 2016 * * 2.9 - no 2016 ug/L ug/L - no 2016 * * 0.0 - no 2016 ug/L - no 2016 - * * 0.0 - no 2016 ug/L - - no 2016 - * * 1.3 - no 2016 ug/L ug/L - - - - * 80 61.8 - no 2016 ug/L ug/L ug/L - - - * * 19.3 8.0-19.0 no 2016 ug/L ug/L ug/L - - - *

Volatile Organic Contaminants

*There is no MCLG and/or MCL for this contaminant.

(TTHM sampling is taken at a location that has been determined to have the oldest water age...chlorination by-products increase with age)

Total Chlorine Running Annual Average

	Contaminant	MCLG	MCL	Level	Range of	Violation	Sample	Typical Source of Contamination
1				Found	Detections		Year	
à	Total Chlorine	<4	4	1.04	0.75-1.14	no	2016	Chlorine added for
	Residual	mg/L	mg/L	mg/L	mg/L	0.000		disinfection.
	A BARRON	10		the state	(12)	Sec. 10	1000	20

We have a current, unconditioned license to operate our water system.

The EPA establishes an annual monitoring schedule for each public water system. They regulate the testing of many types of contaminants on a regular basis. The Village of Montpelier Water Plant is regulated to routinely monitor for the following contaminants: Total Coliform Bacteria, E-coli Bacteria, Inorganic Chemicals, Synthetic Organic Chemicals, Volatile Organic Chemicals, Nitrates, Nitrites, Radiological, Lead & Copper, Mercury, and Radon. Throughout all this testing, Montpelier has never had any violations on its drinking water.

How do I participate in decisions concerning my drinking water?

Public participation and comment are encouraged at regular meetings of the Village Council, which meets every second and fourth Monday of the month. The meetings are held at the Montpelier Police Dept. conference room and start at 7:30 p.m. (Call Village Offices at 419-485-5543 during business hours to be sure the meeting has not been rescheduled)

For more information on your drinking water, contact Matthew J. Peters (Supv.), William C. Blakely (Supt.), or Thane Apt (Chief Operator) at 485-0936. Normal working hours are 6:30 a.m. to 3:00 p.m. everyday of the week. Tours of the water plant can also be scheduled.

Definitions of some terms contained within this report.

<u>Maximum Contaminant Level Goal (MCLG)</u>: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

<u>Maximum Contaminant Level (MCL)</u>: The highest level of contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. In most cases, the USEPA sets MCLs at one in one million level. This means that if a person drinks two liters (approximately half a gallon) of water containing a

contaminant at the MCL per day for 70 years, the risk for developing some adverse reaction to the substance is one in one million.

Action Level (AL): The action level is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Parts per Million (ppm) or Milligrams per Liter (mg/L): Units of measure for concentration of a contaminant. A part per million corresponds to one second in approximately 11.5 days, 1 (one) ounce of seasoning in 62,500 pounds of hamburger, or 1 (one) penny of \$10,000.

<u>Parts per Billion (ppb) or Micrograms per Liter (ug/L)</u>: Units of measure for concentration of a contaminant. A part per billion corresponds to 1 (one) second in approximately 31.5 years, 1 (one) ounce of dye in 7,812,500 gallons of water, or 1 (one) penny of 10 million dollars.

<u>Microsiemens per Centimeter (uS/cm) or Micromhos per Centimeter (uMho/cm)</u>: A measurement of conductance or the ability to carry an electrical current.

Gallons Per Minute (gpm): Rate of water flow.

Listed below is the general analysis and chemical make-up of the Village of Montpelier's drinking water in 2016.

Annual Tests

Test

Results

Annual Tos	513
Calcium, Ca	13.4 mg/L
Manganese, Mn	none detected
Chloride, Cl	24.2 mg/L
Iron, Fe	none detected
Magnesium, Mg	18.3 mg/L
Sodium, Na	28.7 mg/L
Silica, (Molybdate Reac	tive) 13.8 mg/L
Sulfate, SO4	41 mg/L
Solids, Suspended	none detected
Total Dissolved Solids	178 mg/L
Conductivity	348 uS/cm

Weekly Tests Water Stability.....Stable to slightly scale forming

Monthly Tests

(average) Phosphorus as P04......0.24 mg/L

Daily Operational Tests (average)

Water Hardness, Total	124 mg/L*
Alkalinity, Phenol	2 mg/L
Alkalinity, Total	111 mg/L
pH	8.34
Chlorine, Free	0.94 mg/L
Chlorine, Total	1.04 mg/L

*divide by 17.1 to achieve grains per gallon.

(The addition of poly-phosphate added to the water, sequesters the remaining hardness minerals and makes the water react more soft than it is.)